




- LABOR PRODUCTIVITY CONTROL
- PERSONNEL SAFETY
- SECURITY OF FACILITY

Personal wearable devices significantly enhance security and safety of industrial facilities in the shortest possible time



WHERE ARE YOUR PERSONNEL?

Signals from wireless fire devices Satellite signals (((•))) GPS / GLONASS (((•)) **GPS / GLONASS GPS / GLONASS** Unconscious **GPS / GLONASS** Alarm **GENERAL AREA GPS / GLONASS Restricted** access **RESTRICTED AREA**

To watch the video, scan the QR-code!

HOW TO ALERT & NOTIFY?

GENERAL AND GROUP MESSAGES




SOUND, TEXT, LIGHT, VIBRATION




PERSONAL MESSAGES


ALARM PANIC BUTTON



AN INSTALLATION EXAMPLE of expanders for an industrial facility providing worker's tracking



of a portable kit providing alarm and control system for temporary objects




INDOOR AND OUTDOOR POSITIONING



INDOORS:

the system uses
the signals from
wireless fire devices
to determine the
location of a person
with the electronic
bracelet



OUTDOORS:

the system uses the signals from satellites to determine the location of a person with the electronic bracelet





STRELETZ-PRO ADVANTAGES



- Indoor and outdoor positioning.
- Personal wearable devices are designed in the form of the watch that provides comfortable use with waterproof and shockproof housing (IP66).
- Quick, easy and cost-effective installation (wireless communication between all the devices of the system).
- The communication range of wearable devices with the expander is 1200 m.
- The wide range of bracelet's are designed to alert personnel in the event of emergency and evacuation.
- The system can be expanded and upgraded together with fire and security alarm systems, fire suppression and perimeter detection systems

 \overline{a}

EXAMPLES OF INSTALLATIONS

1. Operator's desk



3. Installation of the expander on a wall



2. Installation of the expander on a roof



4. Installation of the expander on a lampost


AN EXAMPLE OF WORKER'S TRACKING DISPLAYED ON OPERATOR'S COMPUTER



OPERATOR'S DESK FUNCTIONS




Real-time monitoring of personnel's location and recording the tracking information. All the routes and locations of personnel are saved to database.



A press of the panic button by the user enables them to send SOS-signal to security center.



Wearable devices automatically transmit alert to security center in case of worker's loss of consciousness (built-in motion sensor).



If personnel cross the defined area the operator in the security center receives alarm notification.

STATIONARY KIT



CENTRAL CONTROLLING EQUIPMENT

BEV1-I

- · Monitoring and controlling devices of the system.
- Touchscreen.

BCPU

- · Receiving and controlling unit
- 64 indicators and 64 buttons for security zone management.
- External antenna.

ZU-16

- Charging 16 Braslet-PRO / Braslet-PRO v. D at the same time.
- Magnetic bases for mounting the bracelets.
- 220V AC adapter included.



ARG-WL8-EXP

Wireless expander module

The wireless expander module provides a convenient method to increase radiocommunication range.

FEATURES:

- Dynamic routing for all expanders and field devices
- Bi-directional wireless communication
- Supports full device intelligence
- Operating temperature range: -30 °C to +55 °C

BRASLET-PRO v. D

Wireless personal notification and monitoring device

BRASLET-PRO

Personal notification and monitoring devices

The wireless personal notification and monitoring device provides monitoring the condition and location of personnel, visitors, and equipment on protected premises. Personal notification text messaging (Braselet-PRO v.D)/

FEATURES:

- · Indoor and outdoor positioning
- Staff performance monitoring
- Occupational safety
- •• LED display
- Operating temperature range: -30 °C to +55 °C
- Explosion proof rating 0ExIIT6

- 2 built-in inputs/outputs

POTABLE KIT



BEV2-I

Electronic computing unit

- Touchscreen
- · Displaying positioning information on a map (GPS/GLONASS).
- Easy management for 16 security zones Built-in battery charger for 8 bracelets.
- Battery life up to 8 hours.
- Operating temperature range:
- -10 ... +55°C.

RR-PRO v.UMT

Portable weatherproof wireless repeater

- 2 communication range modes.
- 2 weeks of battery life.
- Operating temperature range: -35 ... +70°C.
- Ingress protection rating IP65.



LINAR-PRO

Wireless microwave detector for perimeter

- · Bistatic detector.
- The width of the detection zone 3 m.
- Operating range up to 100 m.

BRASLET-PRO v. D

Wireless personal notification

and monitoring device

BRASLET-PRO

Personal notification

and monitoring devices

- Processor algorithms separate target from interference
- in the signal.
- · Up to 6 months of battery life.
- Operating temperature range -30..+55 °C.

PHOTO AND VIDEO RECORDING OF THE EVENTS WITH BRACELETS

INTEGRATION WITH ACCESS CONTROL AND **VIDEO SURVEILLANCE SYSTEMS**


ACCESS CONTROL SYSTEM SOLUTION:

- A bracelet can be used as an access card:
- Bracelets enable the operator in the security center to receive automated alerts, confirm the incidents and record the information to database;
- Bracelets allow the management of the company to work with the reports of incidents and use photos and video records of incidents.

Visual display of the events and security system elements on the maps



Verification of the detected security events and cardholder's data



- Events from the access points, bracelets, controllers, security zones and other elements of the integrated security systems are recorded in a database.
- The events and security system elements are visually displayed on the maps.
- The location of bracelets on the maps automatically updates.
- Control and management of the executive modules from the maps.

- Automated switching to the video feed from the


- cameras near the incident. - Automated playback of the recorded video of the
- detected security event. - Generating reports on the events and users' actions.


VIDEO SURVEILLANCE SYSTEM SOLUTION:

- If one of the bracelets sends an alarm signal, the security center will receive live feed from the nearest cameras and PTZ cameras (pan-tilt-zoom cameras) will turn to the alarm zone to track the object.
- If a person enters the restricted area, the operator in the security center will receive an alarm notification and video footage of the event.
- Control and monitoring of the personnel with bracelets using cameras and maps.









INTEGRATION: STRELETZ-PRO + THE NEYROSS PLATFORM

AUTOMATIC DATA SYSTEM FOR OCCUPATIONAL SAFETY

STRELETZ-PRO





1. ELECTRONIC DOCUMENTS WITH INCIDENT INFORMATION the documents provide evidence and assist decision-making



All information on the occurred incident is automatically composed into a document and sent to a selected e-mail. This information can include the time and place of the incident, photos confirming the incident and employee data.

Benefits of this technology:

- reducing the emergency response time
- reducing accident risk and damages, increasing occupational discipline and safety

Streletz-PRO provides the Neyross Platform with information on:

- location of people with bracelets
- violations of restricted areas
- instances of leaving designated areas emergency signals from panic buttons, motion sensors, etc.

The information in Streletz-PRO is compiled – CCTV, access control system. In case of an accident, all necessary data from different systems is complied into one electronic document and sent to managers and supervisors via e-mail.

2. AUTOMATIC REPORTS ON OCCUPATIONAL SAFETY electronic reports in a simple format



Reports are automatically composed and sent via e-mail:

- reports on violating restricted areas
- reports on working overtime and coming in late
- reports on coming to work intoxicated
- transferring data to organization management systems.

By using the report system, you can automatically compile and send out reports with essential data in a simple form. The reports can be sent out periodically to chosen accountable personnel.

3. INFOGRAPHICS ON PRIMARY INDICATORS OF OCCUPATIONAL SAFETY AND DISCIPLINE

user-friendly visualization of information for fast analysis


All data collected by the system is presented with user-friendly graphs and diagrams.

An illustrative analysis of all essential indicators of occupational safety and discipline.

Users can choose how the information will be visualized for data analysis. A well-organized infographic makes it easier to come up with solutions that will increase work efficiency and reduce the expenses and risks.







4. WORKFLOW OPTIMIZATION FOR THE SECURITY MANAGER ensuring quick and correct response actions





Full information on events and incidents, including photographs and videos from the site.

Pre-defined response procedures for security managers in case of an emergency.

Monitoring the work of security managers and the incident response times.

Tracking the location of personnel in real time and receive the data where exactly did the incident happen on a floor plan or a map.

Special response procedures for security managers in different situations. Individual work instructions in case of an emergency will indicate which actions need to be taken, who needs to be notified. This will significantly reduce the response time of security personnel.

By monitoring the work of security guards, the system can detect when no action is taken in response to an incident and appropriate personnel will be notified.

THE VERDICT:

a combination of solutions and organizational measures, such as informing the employees that the building is under video surveillance and that all emergencies are registered and analyzed automatically, allows to significantly increase the level of discipline and occupational safety, and reduce the risk of emergencies that are caused by the human factor.

SYSTEM COMPOSITION:

security system

STRELETZ-PRO - positioning and paging system, fire alarm and



Positioning, emergency button, paging Security and fire safety.

The system includes a wired to wireless translator, expanders and field devices.

The wireless system operates on the principle of a self-organizing mesh network.

The translator receives signals from wireless devices and transmits them to a control panel and can be integrated to other systems via API.

Server of the NEYROSS Platform



Receiving and analyzing information from the Streletz-PRO system and other systems in the building: CCTV, access control, security alarm, fire alarm and others;

Information can be transferred to organization management systems:

Used as a web-server for user applications:

- dispatcher monitoring;
- emergency response
- ID database
- reports, etc.

Access control as a part of the occupational safety

Using the Streletz-PRO bracelets as identification tags;

Can be controlled by the NEYROSS platform, work independently or in conjunction with other Borey controllers on the hardware level.

Database with 100 000 IDs and 300 000 events. Full integration with biometric identification devices and equipment for testing alcohol intoxication. Flexible customization of access control algorithms.

The Borey controllers



DEVISOR video recorders



Video surveillance, video recording and video verification as a part of the occupational safety system.

Support for all types of cameras that meet the standards of ONVIF Profile S.

Media recording with flexible settings. Attaching a camera feed to other data sources in the occupational safety system: access control points, authorized and restricted areas of the positioning system, security and fire detectors, etc.

WHERE IS THE SOURCE OF AN ALARM SIGNAL, FIRE OR **BURGLARY?**



AN INNOVATIVE WIRELESS PLATFORM, SEAMLESSLY WITH THE OVERALL SYSTEM **SOLUTIONS FOR:**

- 1. Security and fire safety
- 2. Positioning system for employees, visitors, cargo, and equipment both indoors (using fire detectors) and outdoors (using GPS and GLONASS)
- 3. Paging (personal and group notifications)

FEATURES:

- 1. Electronic bracelet (positioning and paging):
- indoor positioning (using wireless fire devices) and outdoor positioning (using GPS and GLONASS satellites);
- staff performance monitoring;
- occupational safety, monitoring an employee's condition and location during an emergency;
- automatic personal warnings during a fire or when entering an unsafe area;
- paging: dispatch of informational messages with delivery confirmation.
- 2. Self-healing mesh technology for all devices in the system provides reliability and durability.

- 3. 10-year battery life.
- 4. 2 000 devices in one wireless system.
- 5. 3 sec. alarm activation delay.
- 6. 1 200 m communication range.
- 7. High level of radio noise immunity.
- 8. Cryptographic protection of information.
- 9. «Hidden» operation mode (broadband signals).
- 10. Wireless reconfiguration of all system settings.

WHERE IS THE SOURCE OF AN ALARM SIGNAL, FIRE OR BURGLARY?

AREAS OF APPLICATION:

1. SECURITY AND FIRE SAFETY OF THE OBJECT

- fire detection:
- detecting a forced entry into protected premises and territories:
- alarm notification for burglary, fire and evacuation routes;
- activation of automatic fire-extinguishing equipment.

2. POSITIONING

for employees, visitors, cargo, and equipment both indoors and outdoors

Achieved goals:

- registering work time
- on-site security, monitoring an employee's condition and location during an emergency
- occupational safety, determining if the person has left a safe area or entered a dangerous one, monitoring his or her condition and location during an emergency.

3. PAGING

Sending out messages from the control panel:

- automatic personal warnings during a fire or when entering an unsafe area;
- automatic dispatch of system messages. Security and fire alarm:
- fire detection:
- detecting a forced entry into protected premises and territories;
- alarm notification for burglary, fire and evacuation routes;
- activation of automatic fire-extinguishing equipment.

EXAMPLES OF IMPLEMENTATION:

- Logistics centers
- Medical institutions
- Industrial facilities
- Airports, railway stations
- Oil and gas facilities
- Agricultural facilities
- Mobile applications

TECHNICAL SPECIFICATIONS:

SELF-HEALING MESH TECHNOLOGY:

- each device automatically connects to a expander.

FIRE EXTINGUISHING:

- powder;
- aerosol;
- finely dispersed water.

SYSTEM CAPACITY:

- 2048 devices: detectors, relay outputs, notification appliances, bracelets;
- 127 expanders;
- 64 zones of fire extinguishing.

COMMUNICATION RANGE:

- 1 200 m between a device and a expander:
- 2000 м between two expanders.

BATTERY LIFE:

- 10-years for all detectors and alarm devices;
- battery replacement planning service.





To watch the video, scan the QR-code!














Integrated system

SYSTEM ARCHITECTURE



- Self-healing mesh wireless system
- 10-year battery life
- 3 sec. alarm activation delay

STRUCTURE OF THE SYSTEM

WIRELESS

TRANSLATOR / EXPANDER **FIRE DETECTORS ANNUNCIATORS MODULES** ARG-WL8-N - wireless light ARG-WL8-O - wireless EXIT ARG-WL8-TRV - wireless optical smoke detector indicator translator module ARG-WL8-EXPN -ARG-EXP - wireless ARG-WL8-H - wireless EXIT wireless light indicator expander module heat detector and expander module ARG-WL8-SND - wireless ARG-WL8-OH - wireless **CONTROL PANELS** sounder multi criteria detector **AND INDICATION DEVICES** ARG-WL8-OS - wireless ARG-WL8-V- wireless ARG-WL8-P1- control optical smoke detector III panel for wireless voice annunciator with built-in sounder devices ARG-WL8-HS - wireless ARG-WL8-P2- control **INTRINSICALLY SAFE** heat detector with built-in panel for wireless and sounder **DEVICES** intelligent devices ARG-WL8-OV - wireless ARG-WL8Ex-O - wireless ARG-WL8-KPD optical smoke detector III intrinsically safe smoke wireless keypad with built-in voice detector annunciator ARG-WL8Ex-H - wireless BRASLET-PRO intrinsically safe heat ARG-WL8-B - wireless wireless monitoring and detector beam smoke detector notification device ARG-WL8Ex-OH -BRASLET-PRO v. D wireless intrinsically safe wireless monitoring and ARG-WL8-B1 - wireless multi criteria detector notification device with beam smoke detector a screen ARG-WL8Ex-FL - wireless ARG-WL8-KFB intrinsically flame detector wireless keyfob Te. ARG-WL8-FL - wireless flame detector IPR-PRO-Ex - wireless **INPUT / OUTPUT MODULES** manual intrinsically safe call point **CALL POINT** ARG-WL8-IN - wireless BRASLET-PRO-Ex singleintput module wireless intrinsically safe ARG-WL8-CP- wireless monitoring intrinsically call point ARG-WL8-OUT- wireless safe and notification single output module device BRASLET-PRO-Ex v.D -**SECURITY DETECTORS** PUSK-PRO - wireless wireless intrinsically safe output module for ARG-WL8-IN - wireless monitoring intrinsically activation of extiguishing safe and notification input module and modules device magnetic detector ARG-WL8-Ex-In- wireless IKAR-PRO - wireless intrinsically safe universal passive Infrared input module detector PUSK-PRO-Ex - wireless ARFA-PRO - wireless output intrinsically safe module for activation of glass break detector extiguishing modules LINAR-PRO - wireless

microwave detector for

perimeter

INTELLIGENT

			IN7	relligent
CONTROL PANELS AND INDICATION DEVICES			FIRE DETECTORS	
		BSL240-I - control panel for		AURORA-DI - intelligent optical smoke
		addressable field devices START-I - control panel for fire extinguishing	3	AURORA- TI - intelligent heat detector
			(3)	AURORA-DTI - intelligent combined detector
10 mm m m m m m m m m m m m m m m m m m		PS-I - control unit with a keypad	3	AURORA-DI v.2 - intelligent optical smoke detector with short-circuit isolator
		BU32-I - Indication unit		AURORA-TI v.2 - intelligent heat detector with short-circuit isolator
INPUT / OUTPUT MODULES				AURORA-DTI v.2- intelligent combined detector with short-circuit isolator
	MV-I - input module MI-I - output module			AMUR-I - intelligent reflective optical beam smoke detector
	MR-I - relay module			
:]	MVI-I - input / output module		CALL PO	DINT
	MVR-I - input relay module			IPR-I - intelligent manual call point
	i			

BR4-I - multimodules.


BR3-I - multimodule,

4 relay

3 outputs

		SIRENA-I - sounder			
	SECURIT	SECURITY DETECTORS			
t		RIG-I - door/window contact, universal input module			
it		IKAR-5I - passive Infrared detector			
		ARFA-I - glass break detector			
	ANCILLA	ANCILLARY			
- 1					

ANNUNCIATOR



CASE STUDIES

MILITARY MEDICAL ACADEMY IN SAINT PETERSBURG



PROJECT SIZE:

summary square – 140,000 m². 20,000 detectors

MARKET SECTOR:

medical, educational and scientific institution

SYSTEM TYPE:

hybrid wireless and wired

PROJECT DESCRIPTION

The multidisciplinary clinic of the Military Medical Academy represents a modern complex and consists of 7 buildings forming a single whole. The object includes clinical and diagnostic blocks, radionuclide Diagnostic block, educational and scientific blocks. The clinic required a fire detection and security alarm system.

REASONS FOR WIRELESS USE

The specificity of the hospital complex implies difficult access to individual rooms (surgery, resuscitation, etc.) and the need to maintain clean rooms.

Due to wireless technology the system was installed in a short time. Some parts of the system were pre-programmed and configured before they were installed in place for final testing and commissioning. In addition, the wireless system allowed to use wearable bracelets in the system for patients. The bracelets provide personal notification in case of fire alarms and perform the functions of a panic button. Wearable devices also automatically transmit alert to nurse's post in case of person's loss of consciousness.

SEA OIL PLATFORM



PROJECT SIZE:

summary square – 3,000 m². 300 wearable bracelets

MARKET SECTOR:

oil and gas industry

SYSTEM TYPE:

wireless

PROJECT DESCRIPTION

The infrastructure includes the Riser Unit, Ice Resistant Platform, Central Processing Platform and Living Quarters Platform.

REASONS FOR WIRELESS USE

Wireless personnel monitoring and alert system Streletz-PRO is a perfect solution for:

- Real-time monitoring of personnel's condition and location, recording the tracking information.
- Personnel's notification and alert in case of emergency (text, vibration, sound), sending text messages to bracelets from a security center.
- feedback from the personnel by using a panic button in case of emergency.

The application of Streletz-PRO allows to enhance security and safety of facilities and increase labor productivity in the shortest possible time. The wireless system provides quick, easy and cost-effective installation. Streletz-PRO is a fully scalable system that can be expanded by the addition of fire detection, security alarm, and intrusion detection systems. The system can be wireless based, or a hybrid combination of wired and wireless dependant on the customer's needs.

VNUKOVO AIR TRAFFIC CONTROL CENTER IN MOSCOW



PROJECT SIZE: building area – 30,000 m².

MARKET SECTOR:

transport

SYSTEM TYPE:

hybrid wireless and wired

PROJECT DESCRIPTION

The construction of new Vnukovo air traffic control center in Moscow started in 2009 and its handover for commissioning was in 2014. It is a three-storeyed building. The center is the largest air traffic control center in Europe. It controls the flights from 14 civil and 21 military aerodromes.

REASONS FOR WIRELESS USE

The challenge was to provide a flexible system that can be installed in a short time across the building, preventing disturbance to the occupants. Only wireless technology provides quick, easy and cost-effective installation (wireless communication between all the devices of the system). Wireless technology is now widely accepted as being as reliable and robust as traditional wired alternatives, yet offering much more in terms of flexibility, making Streletz-PRO an ideal choice.

Since the new system was planned beforehand, installation and handover went smoothly within the planned timescale. Finally, there were installed more than 1,000 wireless smoke and heat detectors, 50 wireless translators, 50 wireless output modules and 60 wireless manual call points.

RUSSIAN RESEARCH STATION «VOSTOK», THE ANTARCTIC



PROJECT SIZE:

100 + devices

MARKET SECTOR:

science

SYSTEM TYPE:

wireless

PROJECT DESCRIPTION

Vostok Station is a Russian research station in the Antarctic. The station lies at the southern Pole of Cold. The station consists of several buildings including a power station, a meteorology building and living quarters. The station typically contains 25 scientists and engineers.

REASONS FOR WIRELESS USE

Vostok is the coldest place on Earth. In addition to the extremely cold temperatures, other factors make Vostok one of the most difficult places on Earth for human habitation:

- An almost complete lack of moisture in the air.
- A windspeed rising up to 27 metres per second.
- The lack of oxygen
- A higher ionization of the air.

Due to long acclimatization and very short time of installation a wireless system was the obvious solution. At the same time the system should also be very reliable because Vostok station is one of the most isolated established research stations.

Wireless fire system Streletz-PRO is very reliable and an ideal variant for facilities with a number of buildings spread over the site where cables cannot be accommodated.

150 000 INSTALLATIONS - 9 MILLION WIRELESS DEVICES SOLD!

PROJECTS IN RUSSIA:



Tretyakov Art Gallery



Peter the Great Hospital



«Four Seasons» Hotel



«Uralmashzavod»



Kursky Railway Station



Big GostinyDvor, St. Petersburg



Rostov-on-Don airport



Naval Cathedral in Kronstadt



Vnukovo airport